

TAWS5

TAWS5 the 5th game in a series of “Text Adventures Without Swords”, short, simple text-based games.

TAWS5 is a sort of typing tutor where your skill with touch typing random blocks of letters nets you a higher score. Press space at any time to pause the game. Press 0 at any time to end your game and see how you did.

A fun way to play this game is to play it with someone else and race for 100 points, or just for 25 if you don't want to play an endurance round.

TAWS5 was written by “Entar”.

```
// taws5.cpp listing begins:
#include <iostream>
#include <conio.h>
#include <time.h>

using namespace std;

int main(int argc, char *argv[])
{
    int length, letter=0, score=0, last;
    char word[16];
    char vowels[8] = "aeiouy";
    char input[128];
    int total=0;
    bool paused = false;
    unsigned int startPause = 0;
    unsigned int totalPaused = 0;
    unsigned int game = time(NULL);
    unsigned int start = time(NULL);
    printf("\n");
    printf("*****\n");
    printf("Welcome to TAWS (Text Adventure Without Swords)!\n");
    printf("*****\n");
    printf("Just type the words on screen as fast as possible.\n");
    printf("Score is based on how fast you type the word,\n");
    printf("compared to how long the word is. Beware, you can\n");
    printf("lose points for going too slowly!\n");
    printf("To pause the game, hit the space bar.\n");
    printf("To quit, type 0.\n");
    printf("\n");
    srand(time(NULL));
    last = 0;
    length = 2+(rand()%13);
    for (int i=0; i < length; i++)
    {
        if (last > 1)
        {
            word[i] = vowels[rand()%6];
            last = 0;
        }
        else
        {
            word[i] = 'a'+rand()%('z'-'a');
            last++;
        }
        word[i+1] = '\0';
    }
    printf("Word: %s\n", word);
    while (input[letter-1] != '\0')
    {
        if (_kbhit())
        {
            input[letter] = _getch();
            if (input[letter] == '\b')
            {
                input[letter] = '\0';
                if (letter > 0)
                {
                    letter--;
                    input[letter] = ' ';
                    printf("\r");
                    printf(input);
                }
            }
        }
    }
}
```

// Listing continued on next page...

// Listing continued from previous page

```
    last = 0;
    length = 2+(rand()%13);
    for (int i=0; i < length; i++)
    {
        if (last > 1)
        {
            word[i] = vowels[rand()%6];
            last = 0;
        }
        else
        {
            word[i] = 'a'+rand()%('z'-'a');
            last++;
        }
        word[i+1] = '\\0';
    }
    printf("Word: %s\\n", word);
    start = time(NULL);

    total += length;

    // reset the input
    letter = 0;
    for (int i=0; i < 128; i++)
        input[i] = '\\0';
}
}
printf("\\n\\n");
game += totalPaused; // fix total gametime calculations for being paused
printf("Final score: %i points in %i seconds\\n", score, time(NULL)-game);
printf("%.2f letters per second\\n", (float)total/(float)(time(NULL)-game));
system("pause");
return 0;
}
```